

Pre-Stardom[®]

A complete first-phase starter to be fed as the sole diet for young show pigs from 12 - 25 pounds.

Guaranteed Analysis

Crude Protein, min	24.0%	Calcium (Ca), max	1.3%
Zinc (Zn), min	3,000 ppm	Riboflavin, min	6 mg/lb
Lysine, min	1.75%	Phosphorus (P), min	0.75%
Vitamin A, min	5,100 IU/lb	Niacin, min	35 mg/lb
Crude Fat, min	7.0%	Salt (NaCl), min	0.5%
Vitamin D3, min	800 IU/lb	d-Pantothenic Acid, min	.27 mg/lb
Crude Fiber, max	4.5%	Salt (NaCl), max	1.0%
Vitamin E, min	35 IU/lb	Vitamin B12, min	0.019 mg/lb
Calcium (Ca), min	0.8%	Selenium (Se), min	0.3 ppm
Menadione, min	2.3 mg/lb	Biotin, min	0.16 mg/lb

1

Ingredients

Ground Corn, Feeding Oat Meal, Dried Cheese Product, Pasteurized Spray Dried Eggs, Sugar Foods By-Product, Soybean Meal, Animal Fat, Fish Meal, Animal Plasma, Lactose, Soybean Hulls, Corn Distillers Dried Grains with Solubles, Poultry Meal, Calcium Carbonate, Monocalcium Phosphate, Dicalcium Phosphate, Salt, L-Threonine, L-Tryptophan, DL-Methionine, L-Lysine, Yucca Schidigera Extract, Dried Brewers Yeast, Hydrolyzed Brewers Dried Yeast, Reed-Sedge Peat, Vitamin A Acetate, Vitamin D3 Supplement, Vitamin E Supplement, Menadione Dimethylpyrimidinol Bisulfite (source of Vitamin K Activity), Riboflavin Supplement, Niacin Supplement, Calcium Pantothenate, Vitamin B12 Supplement, Choline Chloride, Folic Acid, Biotin, Pyridoxine Hydrochloride, Natural and Artificial Flavors Added, Saccharin Sodium, Zinc Methionine Complex, Copper Amino Acid Complex, Manganese Amino Acid Complex, Potassium Chloride, Manganese Sulfate, Ferrous Sulfate, Copper Sulfate, Calcium Iodate, Zinc Sulfate, Zinc Oxide, Selenium Yeast, Sodium Selenite, Chromium Tripicolinate, L-Carnitine, Acetic, Propionic, Benzoic, and Sorbic Acid (preservatives), Ethoxyquin and BHT (preservatives).

Features and Benefits

The exclusive Kent[®] palatability enhancer and ½” mini pellet improves intake so pigs consume feed readily at an early age and throughout the feeding period.

6% fat for added energy and performance.

Locked formulas ensure quality ingredients and consistent nutrition.

Multiple protein and carbohydrate sources including high-quality grains, milk products, fish meal, feeding oatmeal, and plasma are utilized resulting in excellent feed conversion and maximum performance.

Yeast sources help block the colonization of pathogens, allowing micro-flora balance in the gastro-intestinal tract.

Complexed trace minerals for improved bio-availability essential for carbohydrate, lipid, and protein metabolism.

Added vitamins for improved nutrient utilization and immune system support.

show bloom![™] for superior skin and hair quality, intake and feed utilization, muscle development and tone.

Biotin to support skin, hair, and hoof health as well as energy and amino acid metabolism.

NutriVantage[®] technology can aid in nutrient availability, digestion and immune system support.

Micro-Aid[®] aids in the control of manure and/or ammonia odor.

Feeding Directions

Feed as the sole diet from the time show pigs first start consuming feed until they weigh at least 25 pounds.

To get pigs started on feed quickly, sprinkle a small amount in a shallow pan or on a clean, dry floor near the source of light or heat and near the sleeping area. Provide clean fresh water at all times.

Pre-Stardom® M50

Medicated

For control of swine dysentery (vibriotic dysentery, bloody scours or hemorrhagic dysentery); control of bacterial swine enteritis (salmonellosis or necrotic enteritis caused by *Salmonella choleraesuis*); for increased rate of weight gain and improvement of feed efficiency.

Active Drug Ingredient

Carbadox 0.0055% (50 gm/ton)

Caution: Do not use in feeds containing bentonite. Not for use in pregnant swine or swine intended for breeding purposes.

Warning: Do not feed to swine within 42 days before slaughter.

Pre-Stardom® D-CTC400

Medicated

For control of swine dysentery associated with *Brachyspira* (formerly *Serpulina* or *Treponema*) hyodysenteriae susceptible to tiamulin and for treatment of swine bacterial enteritis caused by *Escherichia coli* and *Salmonella choleraesuis* and bacterial pneumonia caused by *Pasteurella multocida* susceptible to chlortetracycline.

Active Drug Ingredient

Tiamulin (as hydrogen fumarate) 35 g/ton
Chlortetracycline calcium complex equivalent to
chlortetracycline HCl 400 g/ton
(10 mg/lb body weight daily in divided doses)

Warning: Withdraw medicated feed 2 days before slaughter.

Caution: Do not feed to animals other than swine. Use as the only source of tiamulin and chlortetracycline. Swine being treated with tiamulin should not have access to feeds containing polyether ionophores (e.g. monensin, salinomycin, narasin, semduramicin and lasalocid) as adverse reactions may occur. If signs of toxicity occur, discontinue use of medicated feeds. Not for use in swine weighing more than 250 lb.

Protect medicated feed from excessive temperatures. Do not store at warm temperatures, 104° F (40° C), for more than 7 days.

Denagard® is Novartis Animal Health, Inc.'s registered trademark for tiamulin hydrogen fumarate.

Mecadox® is Phibro Animal Health's trademark for carbadox.

Micro-Aid is a registered trademark of Distributors Processing Inc.

show bloom! is a registered trademark of F.L. Emmert Co.